

DEPARTURE	CARRIER - FLIGHT - PARTNER	GATE	TIME	STATUS
Dallas #1	AA 1783	B71	4:30P	On Time
Dallas #1	QF 4584	B71	4:30P	On Time
Dallas #1	UA 7821 US 7819	A20	4:50P	On Time
Dayton	UA 7889 CR 5648	C26	5:30P	On Time
Daytona Beach	DL 1448	B76	4:58P	On Time
Denver	UA 917 US 8257	C23	2:40P	On Time
Denver	UA 983 US 8259	C19	4:22P	On Time
Denver	UA 837 LH 8658	C4	5:28P	On Time
Denver	WN 2883	B58	5:40P	On Time
Detroit	NW 3721	B72	4:45P	On Time
Detroit	UA 7348 US 7888	A3	5:89P	On Time
Frankfurt	UA 918 LH 8951	D3	5:28P	On Time
Frankfurt	LH 418 UA 8832	B48	5:50P	On Time
Frankfurt	LH 418 UA 8832	B51	5:50P	On Time
FL-Lauderdale	B6 388	B82	3:1P	On Time
Geneva	UA 874 LX 3283	C8	5:41P	On Time
Greensboro	UA 7842 BO 4626	A4	4:48P	On Time
Greensboro	UA 7854 BO 4628	C28	5:28P	On Time
Harrisburg PA	UA 7852 US 7482	C28	5:25P	On Time
Hartford-BDL	UA 312 US 8161	D21	5:22P	On Time
Houston	CO 3911	B35	2:35P	On Time
Houston	UA 985 US 8191	C3	5:22P	On Time
Huntsville AL	UA 7343 BO 4642	A4	4:50P	On Time
Indianapolis	UA 7217 US 7158	A2	4:40P	On Time
Jacksonville	UA 7422 NH 7558	A2	12:10P	Now 3:10P
Jacksonville	UA 7451 BO 4228	C28	4:40P	On Time
Johannesburg	SA 208 UA 9818	B14	5:40P	On Time
Johannesburg, PA	UA 8837	A5	5:32P	On Time
Kansas City	UA 7411 US 7982	A1	3:30P	On Time
Knoxville	UA 7883 US 7408	A6	4:58P	On Time
Las Vegas	WN 3074	B58	4:15P	On Time
Las Vegas	UA 777 LH 8358	D11	5:15P	On Time
London-LHR	UA 918 CO 8050	C1	5:48P	On Time
London-LHR	BA 216	B44	6:15P	On Time
Los Angeles	UA 209 US 8583	C19	2:41P	On Time
Los Angeles	UA 887 HZ 8028	D4	4:45P	On Time
Los Angeles	VX 687	B75	4:50P	On Time
Los Angeles	VX 687	B75	4:50P	On Time

TUESDAY NOVEMBER 17, 2009 1:53P

DEPARTURE	CARRIER - FLIGHT - PARTNER	GATE	TIME	STATUS
Dallas #1	AA 1783	B71	4:30P	On Time
Dallas #1	QF 4584	B71	4:30P	On Time
Dallas #1	UA 7821 US 7819	A20	4:50P	On Time
Dayton	UA 7889 CR 5648	C26	5:30P	On Time
Daytona Beach	DL 1448	B76	4:58P	On Time
Denver	UA 917 US 8257	C23	2:40P	On Time
Denver	UA 983 US 8259	C19	4:22P	On Time
Denver	UA 837 LH 8658	C4	5:28P	On Time
Denver	WN 2883	B58	5:40P	On Time
Detroit	NW 3721	B72	4:45P	On Time
Detroit	UA 7348 US 7888	A3	5:89P	On Time
Frankfurt	UA 918 LH 8951	D3	5:28P	On Time
Frankfurt	LH 418 UA 8832	B48	5:50P	On Time
Frankfurt	LH 418 UA 8832	B51	5:50P	On Time
FL-Lauderdale	B6 388	B82	3:1P	Delayed
Geneva	UA 874 LX 3283	C8	5:41P	On Time
Greensboro	UA 7842 BO 4626	A4	4:48P	On Time
Greensboro	UA 7854 BO 4628	C28	5:28P	On Time
Harrisburg PA	UA 7852 US 7482	C28	5:25P	On Time
Hartford-BDL	UA 312 US 8161	D21	5:22P	On Time
Houston	CO 3911	B35	2:35P	On Time
Houston	UA 985 US 8191	C3	5:22P	On Time
Huntsville AL	UA 7343 BO 4642	A4	4:50P	On Time
Indianapolis	UA 7217 US 7158	A2	4:40P	On Time
Jacksonville	UA 7422 NH 7558	A2	12:10P	On Time
Jacksonville	UA 7451 BO 4228	C28	4:40P	On Time
Johannesburg	SA 208 UA 9818	B14	5:40P	On Time
Johannesburg, PA	UA 8837	A5	5:32P	On Time
Kansas City	UA 7411 US 7982	A1	3:30P	On Time
Knoxville	UA 7883 US 7408	A6	4:58P	On Time
Las Vegas	WN 3074	B58	4:15P	On Time
Las Vegas	UA 777 LH 8358	D11	5:15P	On Time
London-LHR	UA 918 CO 8050	C1	5:48P	On Time
London-LHR	BA 216	B44	6:15P	On Time
Los Angeles	UA 209 US 8583	C19	2:41P	On Time
Los Angeles	UA 887 HZ 8028	D4	4:45P	On Time
Los Angeles	VX 687	B75	4:50P	On Time
Los Angeles	VX 687	B75	4:50P	On Time

TUESDAY NOVEMBER 17, 2009 1:53P

DEPARTURE	CARRIER - FLIGHT - PARTNER	GATE	TIME	STATUS
Dallas #1	AA 1783	B71	4:30P	On Time
Dallas #1	QF 4584	B71	4:30P	On Time
Dallas #1	UA 7821 US 7819	A20	4:50P	On Time
Dayton	UA 7889 CR 5648	C26	5:30P	On Time
Daytona Beach	DL 1448	B76	4:58P	On Time
Denver	UA 917 US 8257	C23	2:40P	On Time
Denver	UA 983 US 8259	C19	4:22P	On Time
Denver	UA 837 LH 8658	C4	5:28P	On Time
Denver	WN 2883	B58	5:40P	On Time
Detroit	NW 3721	B72	4:45P	On Time
Detroit	UA 7348 US 7888	A3	5:89P	On Time
Frankfurt	UA 918 LH 8951	D3	5:28P	On Time
Frankfurt	LH 418 UA 8832	B48	5:50P	On Time
Frankfurt	LH 418 UA 8832	B51	5:50P	On Time
FL-Lauderdale	B6 388	B82	3:1P	Delayed
Geneva	UA 874 LX 3283	C8	5:41P	On Time
Greensboro	UA 7842 BO 4626	A4	4:48P	On Time
Greensboro	UA 7854 BO 4628	C28	5:28P	On Time
Harrisburg PA	UA 7852 US 7482	C28	5:25P	On Time
Hartford-BDL	UA 312 US 8161	D21	5:22P	On Time
Houston	CO 3911	B35	2:35P	On Time
Houston	UA 985 US 8191	C3	5:22P	On Time
Huntsville AL	UA 7343 BO 4642	A4	4:50P	On Time
Indianapolis	UA 7217 US 7158	A2	4:40P	On Time
Jacksonville	UA 7422 NH 7558	A2	12:10P	Now 3:10P
Jacksonville	UA 7451 BO 4228	C28	4:40P	On Time
Johannesburg	SA 208 UA 9818	B14	5:40P	On Time
Johannesburg, PA	UA 8837	A5	5:32P	On Time
Kansas City	UA 7411 US 7982	A1	3:30P	On Time
Knoxville	UA 7883 US 7408	A6	4:58P	On Time
Las Vegas	WN 3074	B58	4:15P	On Time
Las Vegas	UA 777 LH 8358	D11	5:15P	On Time
London-LHR	UA 918 CO 8050	C1	5:48P	On Time
London-LHR	BA 216	B44	6:15P	On Time
Los Angeles	UA 209 US 8583	C19	2:41P	On Time
Los Angeles	UA 887 HZ 8028	D4	4:45P	On Time
Los Angeles	VX 687	B75	4:50P	On Time
Los Angeles	VX 687	B75	4:50P	On Time

TUESDAY NOVEMBER 17, 2009 1:53P

FLOOR & ON-WALL MOUNTED KIOSK SOLUTIONS

IMPACT™ SERIES




IMPACT SERIES™

Chief is answering your need to house digital content for wayfinding, advertising and self-service applications. Our kiosk designs are easily serviceable, flexible and attractive. Impact™ Floor Mounted and On-Wall Kiosks are available now.

Impact™ Kiosks enhance interactive installations like:

- Ordering stations within quick-service restaurants
- Digital signage options replacing traditional static wayfinding and advertising
- E-commerce in brick and mortar stores, allowing customers to browse and order products not found on-shelf
- Municipal and government applications for advertising, wayfinding, surveillance, charging and security







FLOOR MOUNTED KIOSKS

The Chief Impact™ Floor Mounted Portrait Kiosks provide an aesthetic solution for enclosing displays in open areas. Designed with no exposed fasteners while maintaining full access and serviceability. Our exclusive design keeps the display mounted to the frame when opened. Keyed locking security keeps displays safe, and a universal AV Storage plate holds supporting equipment.



**SERVICABILITY****KEYED LOCKING****CABLE PATHWAYS****UNIVERSAL DESIGN**

- Unparalleled front service and maintenance access
- Aesthetically pleasing with no exposed fasteners
- Keyed locking security
- Tool free removable storage panels
- Universal AV storage space
- Internal knockouts for electrical junction boxes and 2RU rack spaces
- External cable pathway knockouts
- Integrated passive cooling
- Available in black and white
- UL Listed
- Custom colors, logos and protective glass can be special ordered



IMPACT SERIES™

FREESTANDING BASE OPTIONS

Freestanding base accessories preserve floor finishes, and accommodate movement of kiosks in temporary installations. Bases are offered in single-sided and back-to-back configurations. Tested and approved to UL 2442 ensuring safety for interactive use and servicing—see Accessories page for more details.



IMPACT SERIES™

FLOOR MOUNTED KIOSKS DIMENSIONS & COMPATIBILITY



SINGLE SIDED

Model	Color	Weight Capacity	Mounting Patterns	Max Display Depth	Max TV Width	Max TV Height	Image Diagonal (A)	Overall Width (B)	Overall Height (C)	Overall Dept (D)	Side Bezels (E)	Top Bezels (F)								
LF40UBP	Black	100 lbs. (45.3 kg)	200 x 200 mm 300 x 300 mm 400 x 400 mm	3.5" (88.9mm)	43" (1092.2 mm)	26" (660.4 mm)	40"	31.28" (794.5 mm)	73.76" (1873.5 mm)	8.5" (216 mm)	5.84" (148.3 mm)	7.2" (182.8 mm)								
LF40UWP	White						42"				5.44" (138.1 mm)	5.95" (151.1 mm)								
LF42UBP	Black						43"				5.19" (131.8 mm)	5.75" (146 mm)								
LF42UWP	White						46"				4.39" (111.5 mm)	4.2" (106.6 mm)								
LF43UBP	Black						47"				4.14" (105.1 mm)	3.8" (96.5 mm)								
LF43UWP	White						48"				3.89" (98.8 mm)	3.5" (88.9 mm)								
LF46UBP	Black						125 lbs. (56.7 kg)				300 x 300 mm 400 x 400 mm 600 x 400mm	3.5" (88.9mm)	51" (1295.4 mm)	30" (762.0 mm)	49"	35.25" (895.4 mm)	77.13" (1959.2 mm)	8.5" (216 mm)	5.73" (164.5 mm)	6.48" (164.5 mm)
LF46UWP	White														50"				5.48" (139.1 mm)	6.08" (154.3 mm)
LF47UBP	Black														55"				4.23" (107.3 mm)	3.83" (97.2 mm)
LF47UWP	White																			
LF48UBP	Black																			
LF48UWP	White																			

BACK TO BACK

Model	Color	Weight Capacity	Mounting Patterns	Max Display Depth	Max TV Width	Max TV Height	Image Diagonal (A)	Overall Width (B)	Overall Height (C)	Viewing Area Width (D)	Side Bezels (E)	Top Bezels (F)								
LF40UBP-B2B	Black	100 lbs. (45.3 kg)	200 x 200 mm 300 x 300 mm 400 x 400 mm	3.5" (88.9mm)	43" (1092.2 mm)	26" (660.4 mm)	40"	31.28" (794.5 mm)	73.76" (1873.5 mm)	8.5" (216 mm)	5.84" (148.3 mm)	7.2" (182.8 mm)								
LF40UWP-B2B	White						42"				5.44" (138.1 mm)	5.95" (151.1 mm)								
LF42UBP-B2B	Black						43"				5.19" (131.8 mm)	5.75" (146 mm)								
LF42UWP-B2B	White						46"				4.39" (111.5 mm)	4.2" (106.6 mm)								
LF43UBP-B2B	Black						47"				4.14" (105.1 mm)	3.8" (96.5 mm)								
LF43UWP-B2B	White						48"				3.89" (98.8 mm)	3.5" (88.9 mm)								
LF46UBP-B2B	Black						125 lbs. (56.7 kg)				300 x 300 mm 400 x 400 mm 600 x 400mm	3.5" (88.9mm)	51" (1295.4 mm)	30" (762.0 mm)	49"	35.25" (895.4 mm)	77.13" (1959.2 mm)	8.5" (216 mm)	5.73" (164.5 mm)	6.48" (164.5 mm)
LF46UWP-B2B	White														50"				5.48" (139.1 mm)	6.08" (154.3 mm)
LF47UBP-B2B	Black														55"				4.23" (107.3 mm)	3.83" (97.2 mm)
LF47UWP-B2B	White																			
LF48UBP-B2B	Black																			
LF48UWP-B2B	White																			

Note: Add "G" to end of SKUs for bonded 5/32" (4 mm) tempered glass providing protection for your LCD display.



AV STORAGE CAPACITIES

Image diagonals 40" - 48"

(H x W x D) 20" x 28.1" x 5.84"
(508 mm x 715 mm x 148 mm)

Image diagonals 49" - 55"


(H x W x D) 16.7" x 32.1" x 5.84"
(423 mm x 814 mm x 148 mm)

IMPACT SERIES™

ON-WALL KIOSKS

The Impact™ On-Wall Kiosk brings new flexibility to the digital signage enclosure market while maintaining a sleek aesthetic to complement a variety of environments. A depth-adjustable exterior frame allows for a variety of displays to be used. Reversible hinges help avoid installation and service obstructions, and the exclusive design keeps the display mounted to the frame when opened, providing unparalleled service and maintenance access.

Chief's newest Landscape On-Wall Kiosk includes a scissor-arm extension providing unparalleled service and maintenance access by extending the display up to 8" (203 mm) from the wall. A large interior area accommodates Chief PAC in-wall boxes and other storage components for clean, aesthetic cable management and organization.



**DEPTH
ADJUSTMENT**



KIOSK LATCH



LEVER LOCK™



**VENTILATION
LOUVERS**



FEATURES

- Depth-adjustable exterior frame
- Unparalleled service and maintenance access
- Integrated passive cooling vents with active thermal management options
- Designed to compensate for uneven walls, keeping front of frame flat
- Tamperproof security hardware protects technology investments
- Tool-free on-wall storage with Middle Atlantic's Lever Lock™ technology
- Optimize storage using Chief's PAC Series In-Wall Storage Boxes
- Available in black and white
- Custom colors, logos and protective glass can be special ordered
- UL Listed

IMPACT SERIES™

ON-WALL KIOSKS DIMENSIONS & COMPATIBILITY

PORTRAIT ON-WALL KIOSKS ¹175 lbs. for wood stud, plywood backed steel stud, block & concrete. 125 lbs. in steel stud. Note: Add "G" to end of SKUs for bonded 5/32" (4 mm) tempered glass providing protection for your LCD display.





WATCH THE VIDEO

Model	Color	Weight Capacity	Mounting Patterns	Max Display Depth	Max TV Width	Max TV Height	Image Diagonal (A)	Overall Width (B)	Overall Height (C)	Overall Depth (D)	Side Bezels (E)	Top/Bottom Bezels (F)
LW40UBP	Black	100 lbs. (45.3 kg)	200 x 200 mm 300 x 300 mm 400 x 400 mm	3.75" (95.3 mm)	38.2" (970.3 mm)	23.4" (594.4 mm)	40"	26.0" (660.4 mm)	43.0" (1092.2 mm)	3-5" (76-127 mm)	3.20" (81.3 mm)	4.4" (113.0 mm)
LW40UWP	White						2.80" (71.1 mm)				3.2" (81.3 mm)	
LW42UBP	Black						42"				2.55" (64.8 mm)	3.0" (76.2 mm)
LW42UWP	White						43"					
LW43UBP	Black	100 lbs. (45.3 kg)	300 x 300 mm 400 x 400 mm	3.75" (95.3 mm)	43" (1092.2 mm)	26" (660.4 mm)	46"	28.5" (723.9 mm)	46.5" (1181.1 mm)	3-5" (76-127 mm)	3" (76.2 mm)	3.2" (81.3 mm)
LW43UWP	White						2.75" (69.9 mm)				2.8" (71.1 mm)	
LW46UBP	Black						47"				2.5" (63.5 mm)	2.5" (63.5 mm)
LW46UWP	White						48"					
LW47UBP	Black	100 lbs. (45.3 kg)	300 x 300 mm 400 x 400 mm	3.75" (95.3 mm)	43" (1092.2 mm)	26" (660.4 mm)	49"	32.5" (825.5 mm)	54.5" (1384.3 mm)	3-5" (76-127 mm)	4.35" (109.2 mm)	6.1" (154.9 mm)
LW47UWP	White						41" (104.1 mm)				5.7" (144.8 mm)	
LW48UBP	Black						50"				2.85" (72.4 mm)	3.45" (87.6 mm)
LW48UWP	White						55"					
LW49UBP	Black	125 lbs. (56.7 kg)	300 x 300 mm 400 x 400 mm	3.75" (95.3 mm)	51" (1295.4 mm)	30" (762.0 mm)	65"	39" (990.6 mm)	66.5" (1689.1 mm)	3-5" (76-127 mm)	3.7" (94 mm)	5.15" (129.5 mm)
LW49UWP	White						70"				2.45" (61 mm)	2.95" (74.9 mm)
LW50UBP	Black						75"				2.5" (63.5 mm)	3.25" (82.6 mm)
LW50UWP	White						65"					
LW55UBP	Black	125 lbs. (56.7 kg)	300 x 300 mm 400 x 400 mm	3.75" (95.3 mm)	63" (1600.2 mm)	36.5" (927.1 mm)	65"	39" (990.6 mm)	66.5" (1689.1 mm)	3-5" (76-127 mm)	3.7" (94 mm)	5.15" (129.5 mm)
LW55UWP	White						70"				2.45" (61 mm)	2.95" (74.9 mm)
LW65UBP	Black						75"				2.5" (63.5 mm)	3.25" (82.6 mm)
LW65UWP	White						70"					
LW70UBP	Black	175 lbs.* (79.4 kg)	300 x 300 mm 400 x 400 mm 600 x 400 mm 600 x 600 mm	3.75" (95.3 mm)	63" (1600.2 mm)	36.5" (927.1 mm)	65"	39" (990.6 mm)	66.5" (1689.1 mm)	3-5" (76-127 mm)	3.7" (94 mm)	5.15" (129.5 mm)
LW70UWP	White						70"				2.45" (61 mm)	2.95" (74.9 mm)
LW75UBP	Black						75"				2.5" (63.5 mm)	3.25" (82.6 mm)
LW75UWP	White						75"					

LANDSCAPE ON-WALL KIOSKS ¹For screens with 600mm wide VESA patterns and FHBUL.

WATCH THE VIDEO

LW40UB	Black	100 lbs (45.3 kg)	200 x 200 mm 300 x 300 mm 400 x 400 mm	3.4 (86.4mm)	38.2 (970.3 mm)	23.4 (594.4 mm)	40"	42.0" (1066.8 mm)	27.3" (692.2 mm)	J = L - K - 1/2"	3.95" (100.3 mm)	3.83" (97.2 mm)
LW40UW	White						42"				2.7" (68.6 mm)	3.43" (87 mm)
LW42UB	Black						43"				2.5" (63.5 mm)	3.18" (80.6 mm)
LW42UW	White						49"					
LW43UB	Black	125 lbs (56.7 kg)	200 x 200 mm 300 x 300 mm 400 x 400 mm	3.4" (86.4mm)	51.75" (1314.5 mm)	32" (762.0 mm)	50"	53.25" (1352.5 mm)	33.5" (850.9 mm)	J = L - K - 1/2"	5.48" (139.1 mm)	4.85" (123.2 mm)
LW43UW	White						55"				2.78" (70.6 mm)	3.33" (84.5 mm)
LW49UB	Black											
LW49UW	White						70"					
LW50UB	Black	125 lbs (56.7 kg)	200 x 200 mm 300 x 300 mm 400 x 400 mm	3.4" (86.4mm)	63" (1600.2 mm)	36.5" (927.1 mm)	65"	65.5" (1663.7 mm)	40.1" (1019.3 mm)	J = L - K - 1/2"	4.65" (118.1 mm)	4.27" (108.3 mm)
LW50UW	White						70"				2.45" (62.2 mm)	3.02" (76.6 mm)
LW55UB	Black						75"				2.5" (63.5 mm)	3.06" (77.8 mm)
LW55UW	White						75"					
LW65UB	Black	175 lbs (79.4 kg)	300 x 300 mm 400 x 400 mm 600 x 400 mm 600 x 600 mm	3.4" (86.4mm)	63" (1600.2 mm)	36.5" (927.1 mm)	65"	65.5" (1663.7 mm)	40.1" (1019.3 mm)	J = L - K - 1/2"	4.65" (118.1 mm)	4.27" (108.3 mm)
LW65UW	White						70"				2.45" (62.2 mm)	3.02" (76.6 mm)
LW70UB	Black						75"				2.5" (63.5 mm)	3.06" (77.8 mm)
LW70UW	White						75"					
LW75UB	Black	175 lbs (79.4 kg)	300 x 300 mm 400 x 400 mm 600 x 400 mm 600 x 600 mm	3.4" (86.4mm)	68" (1727.2 mm)	39" (990.6 mm)	75"	70" (1778 mm)	42.6" (1082.7 mm)	J = L - K - 1/2"	2.5" (63.5 mm)	3.06" (77.8 mm)
LW75UW	White											



SPECIFICATIONS

Orientation: Portrait and Landscape

Exterior Frame Depth Range: 3 - 5" (76 - 127mm)

On-Wall Storage Depth (J): Dependent on depth of display and desired frame depth; see Side of Frame view and below equations for details.

- **Overall Kiosk Depth:** $D = 1.25" + K$
- **On-Wall Storage Depth:** $J = D - K - 3/4"$

ACCESSORIES


FLOOR & ON-WALL



RLNK-215
PDU with RackLink™



FWD-SIDECLMP-4
AV Storage Mounting Clamps



FHBUL
VESA Adapter Bracket Extends
VESA range up to 200 mm

ADDITIONAL FLOOR




DCFANKIT-4
100 CFM Active
Cooling Fan



UCP-FAN
15 CFM Active
Cooling Fan



PACLFB, PACLFW
Single-Sided
Freestanding Base




PACLFB-B2B, PACLFW-B2B
Back-to-Back
Freestanding Base

ADDITIONAL ON-WALL



PAC525, PAC526 & PAC527
In-Wall Storage Boxes

Note: Compatible with Portrait and Landscape On-Wall Kiosks



LL-VP2110
Lever Lock™ 21x10" (533 x 254mm)
On-Wall AV Storage Tray

Note: Only compatible with Portrait On-Wall Kiosk



PACFAN1
Active Thermal Management
Fan Kit Options

Note: Only compatible with Portrait On-Wall Kiosk

LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold

INSTALLER INSPIRED | legrandav.com

USA 866.977.3901 av.chief.support@legrand.com CANADA 877.345.4329 av.chief.canada@legrand.com

EMEA +31 495 580 840 av.emea.sales@legrand.com APAC +852 2145 4099 av.asia.sales@legrand.com

©2022 Legrand AV Inc. 220165 Rev D 4/22 Chief is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.